Comaflame

TECHNICAL DATASHEET

Special Purpose

Glove material

Kevlar® felt lining (Liner material)

Possible Harmful ingredients

Sensitizers

No sensitizers

Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

Properties

- Excellent heat resistance
- Good abrasion resistance
- Good comfort
- Good cut resistance
- Good dexterity

EN Test Data



EN388:2003 Flammability:

Performance level 4 After flame time <2s, After glow time <5s

Contact heat resistance:

Performance level 4 Contact temperature 500°C >15s

Convective heat resistance:

Performance level X (test not applicable)

Radiant heat resistance:

Performance level X (test not applicable)

Resistance to small projections of molten metal:

Performance level X (test not applicable)

Resistance to large quantities of molten metal:

Performance level X (test not applicable)

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN388:2003, EN407:heat flame.

They are categorised in "Complex Design" (= Protection against mortal risks).

EC-Type Examination Certificate and EC-quality control for the final product by

Centexbel

Technologiepark 7

B-9052 Zwijnaarde

Application - Limitations of use

Do not use against chemicals; the glove is not liquidproof Do not use near moving or serrated blades

Hand protection. For detailed information, please contact Ansell Healthcare Europe

Storage

Keep away from sources of ozone or ignition.
Keep out of direct sunlight; store in a cool and dry place.

Construction	Liner material	Finishing	Cuff style	Colour	EN Sizes	Length (mm)
Cut & sewn	Kevlar® felt lining	Fully	Gauntlet	Silver and black	11	400
		impregnated				

