



PRODUCT NUMBER: 2232273
POLYTRIL™ AIR COMFORT

Ligh handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Honeywell

Overview

Reference Number

2232273

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry
- Automotive and Part Manufacturer
- Maintenance
- Offshore
- Transportation
- Utilities

Product Use

Ligh handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Features & Benefits

Feature

Polyamide/Cotton/Elasthane knitted glove
 Black foam nitrile on the palm and fingers
 Open back
 Elasticated knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability.

The Lycra® yarn gives a better tactile sensitivity for the assembling of small parts.
 The addition of cotton increases the absorption of perspiration and comfort.
 Nitrile foam coating and open back provide superior ventilation of the hand.
 The liner combining polyamide/cotton/elasthane avoids skin contact with the coating and helps keeping hands cool and dry.

RESISTANCE

The nitrile coating provides oil and abrasion resistance and breathability.
 The foam version of nitrile helps improving the grip in wet and oily environments.

HYGIENE

Black colour suitable for dirty applications and environments.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 Basic standards
 EN 388-03 Mechanical hazards

CHARACTERISTICS :

Polyamide/Cotton/Lycra® knitted glove
 Black foam nitrile coating on the palm and fingers
 Open back
 Elasticated knitted wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Black

Coating Type

Polyamide, coton et lycra®

Length

24,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

Packaging Label

Tagging

CE HONEYWELL
 2232273 XX
 EN 420
 EN 388 : 4121

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/02/07/0066

EC Attestation

EC Attestation

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, contact Honeywell Safety Products.